

## CP785S

### Heavy Duty Shear

- Powerful, energy efficient 1/2 hp motor
  - Triple idler planetary gearing for smooth operation and extended tool life
  - Ergonomic handle design for increased comfort
  - Heavy duty shear head provides long life and reliable cutting performance up to 18 gauge steel Ideal for cutting squares and angles in materials such as aluminum, tin and steel
- 

<b>Model Number</b>		CP785S
<b>Part no</b>		T023200
<b>Description</b>		CP785S
<b>Type of tool</b>		Shear
<b>Chuck size</b>	in	
<b>Free Speed</b>	rpm	
<b>Strokes per min</b>		2400
<b>Length</b>	in	8.25
<b>Weight</b>	lb	2.50
<b>Ave. Air consumption</b>	cfm	
<b>Actual Air consumption @ load</b>	cfm	15.5
<b>Air inlet thread</b>	in	1/4"NPTF
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB(A)	94
<b>Sound Power</b>	dB(A)	105
<b>Vibration Level</b>	m/s <sup>2</sup>	3.2



## CP835

### Heavy Duty Nibbler

- Rugged nibbling head and .177" diameter punch cuts steel up to .60"(16 gauge) and aluminum up to .102"(10 gauge)
  - Easy access to punch and die for quick replacement
  - Four optional cutting positions
  - Perfect for accurate cutting of steel and aluminum. Best for tight corners and circles
- 

<b>Model Number</b>		CP835
<b>Part no</b>		T022550
<b>Description</b>		CP835
<b>Type of tool</b>		Nibbler
<b>Chuck size</b>	in	
<b>Free Speed</b>	rpm	
<b>Strokes per min</b>		2750
<b>Length</b>	in	7.5
<b>Weight</b>	lb	2.25
<b>Ave. Air consumption</b>	cfm	
<b>Actual Air consumption @ load cfm</b>	cfm	17
<b>Air inlet thread</b>	in	1/4"NPTF
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB(A)	97
<b>Sound Power</b>	dB(A)	108
<b>Vibration Level</b>	m/s <sup>2</sup>	5.4



## CP881

Heavy Duty Recip Saw

- Heavy duty construction for long life under heavy use
- Adjustable guard/guide allows operator to set depth of cut
- Comfortable rubber grip

<b>Model Number</b>		CP881
<b>Part no</b>		T023916
<b>Description</b>		CP881
<b>Type of tool</b>		Reciprocating Saw
<b>Chuck size</b>	in	
<b>Free Speed</b>	rpm	
<b>Strokes per min</b>		9500
<b>Length</b>	in	8.63
<b>Weight</b>	lb	1.63
<b>Ave. Air consumption</b>	cfm	
<b>Actual Air consumption @ load</b>	cfm	6
<b>Air inlet thread</b>	in	1/4"NPTF
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB (A)	98
<b>Sound Power</b>	dB (A)	109
<b>Vibration Level</b>	m/s <sup>2</sup>	12.9

