

## CP828

3/8" Heavy Duty Ratchet

- Features CP's new anti-slip head design which virtually eliminates slippage while reducing the potential for heat build-up, even in long run downs
- Compact, yet packed with power and speed

---

<b>Model Number</b>		CP828
<b>Part no</b>		T022708
<b>Description</b>		CP828
<b>Square drive</b>	in	3/8
<b>Working Torque Range</b>	ft lbs	10-50
<b>Maximum Torque @ 90psi reverse</b>	ft lbs	50
<b>Free Speed</b>	rpm	150
<b>Length</b>	in	10
<b>Weight</b>	lb	2.4
<b>Ave. Air consumption</b>	cfm	3.75
<b>Actual Air consumption @ load cfm</b>	cfm	15
<b>Air inlet thread</b>	in	1/4"NPTF
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB(A)	96.5
<b>Sound Power</b>	dB(A)	108
<b>Vibration Level</b>	m/s <sup>2</sup>	7.9



## CP828H

1/2' Heavy Duty Ratchet

- Features CP's new anti-slip head design which virtually eliminates slippage while reducing the potential for heat build-up, even in long run downs
  - Compact, yet packed with power and speed
- 

<b>Model Number</b>		CP828H
<b>Part no</b>		T022970
<b>Description</b>		CP828H
<b>Square drive</b>	in	1/2
<b>Working Torque Range</b>	ft lbs	10-50
<b>Maximum Torque @ 90psi reverse</b>	ft lbs	50
<b>Free Speed</b>	rpm	150
<b>Length</b>	in	10
<b>Weight</b>	lb	2.4
<b>Ave. Air consumption</b>	cfm	3.75
<b>Actual Air consumption @ load cfm</b>	cfm	15
<b>Air inlet thread</b>	in	1/4"NPFT
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB(A)	96.5
<b>Sound Power</b>	dB(A)	108
<b>Vibration Level</b>	m/s <sup>2</sup>	7.9



## CP886

3/8" Standard Duty Ratchet

- Compact head design allows greater flexibility in confined areas
  - Easy to grip reverse lever for simple directional changes
  - Hardened gears provide greater durability over other economically priced ratchets
  - Ideal for installing or removing spark plugs, radiators, water pumps and exhaust systems
- 

<b>Model Number</b>		CP886
<b>Part no</b>		T024240
<b>Description</b>		CP886
<b>Square drive</b>	in	3/8
<b>Working Torque Range</b>	ft lbs	10-50
<b>Maximum Torque @ 90psi reverse</b>	ft lbs	50
<b>Free Speed</b>	rpm	160
<b>Length</b>	in	10.25
<b>Weight</b>	lb	2.63
<b>Ave. Air consumption</b>	cfm	4.25
<b>Actual Air consumption @ load cfm</b>	cfm	17
<b>Air inlet thread</b>	in	1/4"NPTF
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB(A)	98.2
<b>Sound Power</b>	dB(A)	109
<b>Vibration Level</b>	m/s <sup>2</sup>	7.2



## CP886H

1/2' Standard Duty Ratchet

- Compact head design allows greater flexibility in confined areas
  - Easy to grip reverse lever for simple directional changes
  - Hardened gears provide greater durability over other economically priced ratchets
  - Ideal for installing or removing spark plugs, radiators, water pumps and exhaust systems
- 

<b>Model Number</b>		CP886H
<b>Part no</b>		T024391
<b>Description</b>		CP886H
<b>Square drive</b>	in	1/2
<b>Working Torque Range</b>	ft lbs	10-50
<b>Maximum Torque @ 90psi reverse</b>	ft lbs	50
<b>Free Speed</b>	rpm	160
<b>Length</b>	in	10.25
<b>Weight</b>	lb	2.63
<b>Ave. Air consumption</b>	cfm	4.25
<b>Actual Air consumption @ load cfm</b>	cfm	17
<b>Air inlet thread</b>	in	1/4"NPTF
<b>Min. Hose Size</b>	in	3/8
<b>Sound Level</b>	dB(A)	98.2
<b>Sound Power</b>	dB(A)	109
<b>Vibration Level</b>	m/s <sup>2</sup>	7.2

